

TABLE OF CONTENTS

FOH TRUSS	1	#8 ELECTRIC RIGHT	16
2ND BALCONY RAIL	2	#9 ELECTRIC LEFT	16
BALCONY RAIL	3	#9 ELECTRIC CTR	16
BALCONY RAIL FOOTS	4	#9 ELECTRIC RIGHT	17
#2 BOX BOOM LEFT	5	#10 ELECTIC	18
SL FOH COLUMN	5	#11 ELECTRIC	19
#2 BOX BOOM RIGHT	6	PROSC TORM LEFT	20
SR FOH COLUMN	6	#1 TORM LEFT	21
#1 ELECTRIC	7	#2 TORM LEFT	22
#2 ELECTRIC	8	#3 TORM LEFT	23
#3 ELECTRIC	10	PROSC TORM RIGHT	24
#4 ELECTRIC	11	#1 TORM RIGHT	25
#5 ELECTRIC LEFT	11	#2 TORM RIGHT	26
#5 ELECTRIC CTR	12	#3 TORM RIGHT	27
#5 ELECTRIC RIGHT	12	FOOTLIGHT TROUGH	28
#6 ELECTRIC LEFT	13	PERIAKTOI	29
#6 ELECTRIC CTR	13	GRID SL	30
#6 ELECTRIC RIGHT	14	GRID CENTER	31
#7 ELECTRIC LEFT	14	GRID SR	31
#7 ELECTRIC CTR	14	FOH CEILING SL	31
#7 ELECTRIC RIGHT	15	FOH CEILING SR	31
#8 ELECTRIC LEFT	15	RUNNING LIGHTS SL	32
#8 ELECTRIC CENTER	15	RUNNING LIGHTS SR	32

The Schoenfeld Theatre NYC-FINAL

Production Electrician: Jimmy Fedigan

Lighting by Tharon Musser

Adapted by Natasha Katz

FOH TRUSS

U#	Ch	Dim	DMX	Type & Accsry & Watts	Color	Purpose
0a				LYCIAN STARK LITE 1272 1.2kW		SPOT 1
0b				LYCIAN STARK LITE 1272 1.2kW		SPOT 2
0c				LYCIAN STARK LITE 1272 1.2kW		SPOT 3
0d				ACCESSORY		
0e				ACCESSORY		
0f				ACCESSORY		
0g	(788)	101		ETC S4 19°		SIGNER
0h	(788)	101		ETC S4 19°		SIGNER
1	(17)	110		ETC S4 19°w/Top Hat 750w	R337+R132	FRONT SL
2	(1)	111		ETC S4 26° 750w	SCROLL+R132	FRONT C/C
2.1	(21)		501	4.5 COLORAM llw/Top Hat 100w	NOTE 1	SCROLLER
3	(6)	112		ETC S4 26°w/Top Hat 750w	R02+R132	FRONT LT
3w	(Sm)			ETC S4 PAR MFL		
4	(18)	125		ETC S4 19°w/Top Hat 750w	R337+R132	FRONT CTR
5	(2)	115		ETC S4 26° 750w	SCROLL+R132	FRONT C/C
5.1	(22)		502	4.5 COLORAM llw/Top Hat 100w	NOTE 1	SCROLLER
6	(7)	116		ETC S4 26°w/Top Hat 750w	R02+R132	FRONT LT
7	(651)	114		ETC S4 19°w/Top Hat 750w	R132	FRONT SPECIAL-Not Used
8	(652)	118		ETC S4 19°w/Top Hat 750w	R132	FRONT SPECIAL-Not Used
9	(17)	110		ETC S4 19°w/Top Hat 750w	R337+R132	FRONT SL
10	(3)	119		ETC S4 26° 750w	SCROLL+R132	FRONT C/C
10.1	(23)		503	4.5 COLORAM llw/Top Hat 100w	NOTE 1	SCROLLER
11	(8)	120		ETC S4 26°w/Top Hat 750w	R02+R132	FRONT LT
12	(19)	121		ETC S4 19°w/Top Hat 750w	R337+R132	FRONT SR
13	(653)	129		ETC S4 19°w/Top Hat 750w	R132	FRONT SPECIAL-Not Used
14	(40)	152		ETC S4 19°w/Top Hat 750w	R132	ZACK SPECIAL FRONT
15	(4)	123		ETC S4 26°w/Top Hat 750w	SCROLL+R132	FRONT C/C
15.1	(24)		504	4.5 COLORAM llw/Top Hat 100w	NOTE 1	SCROLLER

FOH TRUSS

U#	Ch	Dim	DMX	Type & Accsry & Watts	Color	Purpose
16	(9)	124		ETC S4 26°w/Top Hat 750w	R02+R132	FRONT LT
17	(18)	125		ETC S4 19°w/Top Hat 750w	R337+R132	FRONT CTR
17w	(Sm)			ETC S4 PAR MFL		
18	(5)	127		ETC S4 26°w/Top Hat 750w	SCROLL+R132	FRONT C/C
18.1	(25)		505	4.5 COLORAM llw/Top Hat 100w	NOTE 1	SCROLLER
19	(10)	128		ETC S4 26°w/Top Hat 750w	R02+R132	FRONT LT
20	(19)	121		ETC S4 19°w/Top Hat 750w	R337+R132	FRONT SR

2ND BALCONY RAIL

U#	Ch	Dim	DMX	Type & Accsry & Watts	Color	Purpose
1	(11)	109		ETC S4 10°w/Top Hat 575w	NC	SQUARE OF LIGHT
2	(11)	109		ETC S4 10°w/Top Hat 575w	NC	SQUARE OF LIGHT
3	(12)	113		ETC S4 10°w/Top Hat 575w	NC	SQUARE OF LIGHT
4	(12)	113		ETC S4 10°w/Top Hat 575w	NC	SQUARE OF LIGHT
5	(13)	117		ETC S4 10°w/Top Hat 575w	NC	SQUARE OF LIGHT
6	(13)	117		ETC S4 10°w/Top Hat 575w	NC	SQUARE OF LIGHT
7	(14)	421		ETC S4 10°w/Top Hat 575w	NC	SQUARE OF LIGHT
8	(14)	421		ETC S4 10°w/Top Hat 575w	NC	SQUARE OF LIGHT
9	(15)	406		ETC S4 10°w/Top Hat 575w	NC	SQUARE OF LIGHT
10	(15)	406		ETC S4 10°w/Top Hat 575w	NC	SQUARE OF LIGHT
11	(16)	405		ETC S4 10°w/Top Hat 575w	NC	SQUARE OF LIGHT
12	(16)	405		ETC S4 10°w/Top Hat 575w	NC	SQUARE OF LIGHT
13	(761)	108	751	Color RAM P/S PWR		
13.1	(797)		811	Color RAM P/S FAN		
14		N1.1		Opto Splitter		

BALCONY RAIL

U#	Ch	Dim	DMX	Type & Accsry & Watts	Color	Purpose
2	(584)	132		ETC S4 19° 575w	R56	RAIL PURPLE
3	(587)	133		ETC S4 19° 575w	NC	RAIL NC
4	(581)	131		ETC S4 19° 575w	NC	RAIL NC
5	(584)	132		ETC S4 19° 575w	R56	RAIL PURPLE
6	(587)	133		ETC S4 19° 575w	NC	RAIL NC
7	(582)	134		ETC S4 19° 575w	NC	RAIL NC
8	(585)	135		ETC S4 19° 575w	R56	RAIL PURPLE
8s	(786)	302		q-Lite	BLUE	SPOTTING LITE
9	(588)	136		ETC S4 19° 575w	NC	RAIL NC
10	(582)	134		ETC S4 19° 575w	NC	RAIL NC
11	(586)	137		ETC S4 19° 575w	R56	RAIL PURPLE
12	(589)	138		ETC S4 19° 575w	NC	RAIL NC
13	(583)	139		ETC S4 19° 575w	NC	RAIL NC
14	(586)	137		ETC S4 19° 575w	R56	RAIL PURPLE
15	(589)	138		ETC S4 19° 575w	NC	RAIL NC

BALCONY RAIL FOOTS

U#	Ch	Dim	DMX	Type & Accsry & Watts	Color	Purpose
A1	(628)	204		6' R40 STRIPLIGHT 300W FLD 1.2kW	L141	1
A2	(629)	205		6' R40 STRIPLIGHT 300W FLD 1.2kW	R56	2
A3	(630)	206		6' R40 STRIPLIGHT 300W FLD 1.2kW	R25	3
B1	(631)	107		7'6" R40 STRIPLIGHT 300W FLD 1.5kW	L141	1
B2	(634)	106		7'6" R40 STRIPLIGHT 300W FLD 1.5kW	R56	2
B3	(637)	105		7'6" R40 STRIPLIGHT 300W FLD 1.5kW	R25	3
C1	(632)	107		7'6" R40 STRIPLIGHT 300W FLD 1.5kW	L141	4
C2	(635)	106		7'6" R40 STRIPLIGHT 300W FLD 1.5kW	R56	5
C3	(638)	105		7'6" R40 STRIPLIGHT 300W FLD 1.5kW	R25	6
D1	(632)	209		6' R40 STRIPLIGHT 300W FLD 1.2kW	L141	
D2	(635)	208		6' R40 STRIPLIGHT 300W FLD 1.2kW	R56	
D3	(638)	207		6' R40 STRIPLIGHT 300W FLD 1.2kW	R25	
E1	(632)	102		7'6" R40 STRIPLIGHT 300W FLD 1.5kW	L141	4
E2	(635)	103		7'6" R40 STRIPLIGHT 300W FLD 1.5kW	R56	5
E3	(638)	104		7'6" R40 STRIPLIGHT 300W FLD 1.5kW	R25	6
F1	(633)	102		7'6" R40 STRIPLIGHT 300W FLD 1.5kW	L141	
F2	(636)	103		7'6" R40 STRIPLIGHT 300W FLD 1.5kW	R56	
F3	(639)	104		7'6" R40 STRIPLIGHT 300W FLD 1.5kW	R25	
G1	(628)	204		6' R40 STRIPLIGHT 300W FLD 1.2kW	L141	
G2	(629)	205		6' R40 STRIPLIGHT 300W FLD 1.2kW	R56	
G3	(630)	206		6' R40 STRIPLIGHT 300W FLD 1.2kW	R25	

#2 BOX BOOM LEFT

U#	Ch	Dim	DMX	Type & Accsry & Watts	Color	Purpose
1	(554)	154		ETC S4 19°w/Top Hat 575w	R337+R132	WASH <
2	(504)	140		ETC S4 19° 575w	SCROLL	DIAG FRONT C/C <
2.1	(524)		506	4.5 COLORAM Ilw/Top Hat 100w	NOTE 1	SCROLLER
3	(514)	141		ETC S4 19°w/Top Hat 575w	L202+R132	DIAG FRONT <
4	(553)	156		ETC S4 19°w/Top Hat 575w	R337+R132	WASH <
5	(503)	142		ETC S4 19° 575w	SCROLL	DIAG FRONT C/C <
5.1	(523)		507	4.5 COLORAM Ilw/Top Hat 100w	NOTE 1	SCROLLER
6	(513)	143		ETC S4 19°w/Top Hat 575w	L202+R132	DIAG FRONT <
7	(552)	158		ETC S4 26°w/Top Hat 575w	R337+R132	WASH <
8	(502)	144		ETC S4 26° 575w	SCROLL	DIAG FRONT C/C <
8.1	(522)		508	4.5 COLORAM Ilw/Top Hat 100w	NOTE 1	SCROLLER
9	(512)	145		ETC S4 26°w/Top Hat 575w	L202+R132	DIAG FRONT <
10	(501)	146		ETC S4 26° 575w	SCROLL	DIAG FRONT C/C <
10.1	(521)		509	4.5 COLORAM Ilw/Top Hat 100w	NOTE 1	SCROLLER
11	(511)	147		ETC S4 26°w/Top Hat 575w	L202+R132	DIAG FRONT <
12	(551)	160		ETC S4 26°w/Top Hat 575w	R337+R132	WASH <
13	(534)	148		ETC S4 19°w/Top Hat 575w	R56+R132	DIAG FRONT <
14	(533)	149		ETC S4 19°w/Top Hat 575w	R56+R132	DIAG FRONT <
15	(531)	150		ETC S4 26°w/Top Hat 575w	R56+R132	DIAG FRONT <
16	(532)	151		ETC S4 26°w/Top Hat 575w	R56+R132	DIAG FRONT <

SL FOH COLUMN

U#	Ch	Dim	DMX	Type & Accsry & Watts	Color	Purpose
1	(544)	153		ETC S4 10°w/Top Hat 575w	SCROLL	C/C WASH <
1.1	(564)		751	10 COLORAM Ilw/Top Hat 100w	NOTE 2	SCROLLER
2	(542)	157		ETC S4 10°w/Top Hat 575w	SCROLL	C/C WASH <
2.1	(562)		752	10 COLORAM Ilw/Top Hat 100w	NOTE 2	SCROLLER
3	(543)	155		ETC S4 10°w/Top Hat 575w	SCROLL	C/C WASH <
3.1	(563)		753	10 COLORAM Ilw/Top Hat 100w	NOTE 2	SCROLLER
4	(541)	159		ETC S4 10°w/Top Hat 575w	SCROLL	C/C WASH <
4.1	(561)		754	10 COLORAM Ilw/Top Hat 100w	NOTE 2	SCROLLER
5	(787)	122		ETC S4 PAR MFL		

#2 BOX BOOM RIGHT

U#	Ch	Dim	DMX	Type & Accsry & Watts	Color	Purpose
1	(555)	175		ETC S4 19°w/Top Hat 575w	R02+R132	WASH >
2	(505)	161		ETC S4 19° 575w	SCROLL	DIAG FRONT C/C >
2.1	(525)		526	4.5 COLORAM Ilw/Top Hat 100w	NOTE 1	SCROLLER
3	(515)	162		ETC S4 19°w/Top Hat 575w	R132	DIAG FRONT >
4	(556)	177		ETC S4 19°w/Top Hat 575w	R02+R132	WASH >
5	(506)	163		ETC S4 19° 575w	SCROLL	DIAG FRONT C/C >
5.1	(526)		527	4.5 COLORAM Ilw/Top Hat 100w	NOTE 1	SCROLLER
6	(516)	164		ETC S4 19°w/Top Hat 575w	R132	DIAG FRONT >
7	(557)	179		ETC S4 26°w/Top Hat 575w	R02+R132	WASH >
8	(507)	165		ETC S4 26° 575w	SCROLL	DIAG FRONT C/C >
8.1	(527)		528	4.5 COLORAM Ilw/Top Hat 100w	NOTE 1	SCROLLER
9	(517)	166		ETC S4 26°w/Top Hat 575w	R132	DIAG FRONT >
10	(508)	167		ETC S4 26° 575w	SCROLL	DIAG FRONT C/C >
10.1	(528)		529	4.5 COLORAM Ilw/Top Hat 100w	NOTE 1	SCROLLER
11	(518)	168		ETC S4 26°w/Top Hat 575w	R132	DIAG FRONT >
12	(558)	181		ETC S4 26°w/Top Hat 575w	R02+R132	WASH >
13	(535)	169		ETC S4 19°w/Top Hat 575w	L354+R132	DIAG FRONT >
14	(536)	170		ETC S4 19°w/Top Hat 575w	L354+R132	DIAG FRONT >
15	(538)	171		ETC S4 26°w/Top Hat 575w	L354+R132	DIAG FRONT >
16	(537)	172		ETC S4 26°w/Top Hat 575w	L354+R132	DIAG FRONT >
17	(20)	173		ETC S4 19°w/Top Hat 575w	R132	ZACK SPECIAL >

SR FOH COLUMN

U#	Ch	Dim	DMX	Type & Accsry & Watts	Color	Purpose
1	(545)	174		ETC S4 10°w/Top Hat 575w	SCROLL	C/C WASH >
1.1	(565)		755	10 COLORAM Ilw/Top Hat 100w	NOTE 2	SCROLLER
2	(547)	178		ETC S4 10°w/Top Hat 575w	SCROLL	C/C WASH >
2.1	(567)		756	10 COLORAM Ilw/Top Hat 100w	NOTE 2	SCROLLER
3	(546)	176		ETC S4 10°w/Top Hat 575w	SCROLL	C/C WASH >
3.1	(566)		757	10 COLORAM Ilw/Top Hat 100w	NOTE 2	SCROLLER
4	(548)	180		ETC S4 10°w/Top Hat 575w	SCROLL	C/C WASH >
4.1	(568)		758	10 COLORAM Ilw/Top Hat 100w	NOTE 2	SCROLLER

#1 ELECTRIC

U#	Ch	Dim	DMX	Type & Accsry & Watts	Color	Purpose
1	(219)	296		ETC S4 26° 575w	SCROLL+R132	DL C/C BACK
1.1	(239)		569	4.5 COLORAM II 100w	NOTE 1	SCROLLER
2	(41)	210		ETC S4 26° 575w	NC	LINE FRONT
3	(42)	211		ETC S4 26° 575w	NC	LINE FRONT
4	(43)	212		ETC S4 26° 575w	NC	LINE FRONT
5	(44)	213		ETC S4 26° 575w	NC	LINE FRONT
6	(45)	214		ETC S4 26° 575w	NC	LINE FRONT
7	(46)	215		ETC S4 26° 575w	NC	LINE FRONT
8	(47)	216		ETC S4 26° 575w	NC	LINE FRONT
9	(48)	217		ETC S4 26° 575w	NC	LINE FRONT
10	(49)	218		ETC S4 26° 575w	NC	LINE FRONT
11	(50)	219		ETC S4 26° 575w	NC	LINE FRONT
12	(51)	220		ETC S4 26° 575w	NC	LINE FRONT
13	(52)	221		ETC S4 26° 575w	NC	LINE FRONT
14	(53)	222		ETC S4 26° 575w	NC	LINE FRONT
15	(54)	223		ETC S4 26° 575w	NC	LINE FRONT
16	(55)	224		ETC S4 26° 575w	NC	LINE FRONT
17	(56)	225		ETC S4 26° 575w	NC	LINE FRONT
18	(57)	226		ETC S4 26° 575w	NC	LINE FRONT
19	(220)	203		ETC S4 26° 575w	SCROLL+R132	DR C/C BACK
19.1	(240)		570	4.5 COLORAM II 100w	NOTE 1	SCROLLER

#2 ELECTRIC

U#	Ch	Dim	DMX	Type & Accsry & Watts	Color	Purpose
1	(401)	227		ETC S4 26° 575w	SCROLL	ENDS C/C APRON <
1.1	(421)		551	4.5 COLORAM II 100w	NOTE 1	SCROLLER
2	(402)	228		ETC S4 26° 575w	SCROLL	ENDS C/C APRON <
2.1	(422)		552	4.5 COLORAM II 100w	NOTE 1	SCROLLER
3	(403)	229		ETC S4 26° 575w	SCROLL	ENDS C/C APRON <
3.1	(423)		553	4.5 COLORAM II 100w	NOTE 1	SCROLLER
4	(404)	230		ETC S4 26° 575w	SCROLL	ENDS C/C APRON <
4.1	(424)		554	4.5 COLORAM II 100w	NOTE 1	SCROLLER
5	(241)	231		ETC S4 26° 575w	SCROLL+R132	BX C/C APRON
5.1	(261)		555	4.5 COLORAM II 100w	NOTE 1	SCROLLER
6.0	(F5)	M1	513	VL1000 Pwr 100w		FIXTURE POWER
6.1	(F5)	1	1	VL1000 1kW		FIXTURE LAMP
7	(241)	231		ETC S4 26° 575w	SCROLL+R132	BX C/C APRON
7.1	(261)		556	4.5 COLORAM II 100w	NOTE 1	SCROLLER
8	(242)	232		ETC S4 26° 575w	SCROLL+R132	BX C/C APRON
8.1	(262)		557	4.5 COLORAM II 100w	NOTE 1	SCROLLER
9.0	(F4)	M2	540	VL1000 Pwr 100w		FIXTURE POWER
9.1	(F4)	2	2	VL1000 1kW		FIXTURE LAMP
10	(242)	232		ETC S4 26° 575w	SCROLL+R132	BX C/C APRON
10.1	(262)		558	4.5 COLORAM II 100w	NOTE 1	SCROLLER
11	(243)	233		ETC S4 26° 575w	SCROLL+R132	BX C/C APRON
11.1	(263)		559	4.5 COLORAM II 100w	NOTE 1	SCROLLER
12.0	(F3)	M3	567	VL1000 Pwr 100w		FIXTURE POWER
12.1	(F3)	3	3	VL1000 1kW		FIXTURE LAMP
13	(243)	233		ETC S4 26° 575w	SCROLL+R132	BX C/C APRON
13.1	(263)		560	4.5 COLORAM II 100w	NOTE 1	SCROLLER
14	(244)	234		ETC S4 26° 575w	SCROLL+R132	BX C/C APRON
14.1	(264)		561	4.5 COLORAM II 100w	NOTE 1	SCROLLER
15.0	(F2)	M4	594	VL1000 Pwr 100w		FIXTURE POWER
15.1	(F2)	4	4	VL1000 1kW		FIXTURE LAMP
16	(244)	234		ETC S4 26° 575w	SCROLL+R132	BX C/C APRON
16.1	(264)		562	4.5 COLORAM II 100w	NOTE 1	SCROLLER

#2 ELECTRIC

U#	Ch	Dim	DMX	Type & Accsry & Watts	Color	Purpose
17	(245)	235		ETC S4 26° 575w	SCROLL+R132	BX C/C APRON
17.1	(265)		563	4.5 COLORAM II 100w	NOTE 1	SCROLLER
18.0	(F1)	M5	621	VL1000 Pwr 100w		FIXTURE POWER
18.1	(F1)	5	5	VL1000 1kW		FIXTURE LAMP
19	(245)	235		ETC S4 26° 575w	SCROLL+R132	BX C/C APRON
19.1	(265)		564	4.5 COLORAM II 100w	NOTE 1	SCROLLER
20	(441)	236		ETC S4 26° 575w	SCROLL	ENDS C/C APRON >
20.1	(461)		565	4.5 COLORAM II 100w	NOTE 1	SCROLLER
21	(442)	237		ETC S4 26° 575w	SCROLL	ENDS C/C APRON >
21.1	(462)		566	4.5 COLORAM II 100w	NOTE 1	SCROLLER
22	(443)	238		ETC S4 26° 575w	SCROLL	ENDS C/C APRON >
22.1	(463)		567	4.5 COLORAM II 100w	NOTE 1	SCROLLER
23	(444)	239		ETC S4 26° 575w	SCROLL	ENDS C/C APRON >
23.1	(464)		568	4.5 COLORAM II 100w	NOTE 1	SCROLLER

#3 ELECTRIC

U#	Ch	Dim DMX	Type & Accsry & Watts	Color	Purpose
1	(81)	240	ETC S4 19° 575w	R56	THOUGHT LIGHTS
2	(82)	241	ETC S4 19° 575w	R56	THOUGHT LIGHTS
3	(83)	242	ETC S4 19° 575w	R56	THOUGHT LIGHTS
4	(84)	243	ETC S4 19° 575w	R56	THOUGHT LIGHTS
4w	(Sm)		MINI TEN 300w		SM WORKS
5	(85)	244	ETC S4 19° 575w	R56	THOUGHT LIGHTS
5w	(781)	245	MINI TEN 1kW		CONSOLE WORKS
6	(86)	246	ETC S4 19° 575w	R56	THOUGHT LIGHTS
7	(87)	247	ETC S4 19° 575w	R56	THOUGHT LIGHTS
8	(88)	248	ETC S4 19° 575w	R56	THOUGHT LIGHTS
9	(89)	249	ETC S4 19° 575w	R56	THOUGHT LIGHTS
10	(90)	250	ETC S4 19° 575w	R56	THOUGHT LIGHTS
11	(91)	251	ETC S4 19° 575w	R56	THOUGHT LIGHTS
12	(92)	252	ETC S4 19° 575w	R56	THOUGHT LIGHTS
12w	(Sm)		MINI TEN 300w		SM WORKS
13	(93)	253	ETC S4 19° 575w	R56	THOUGHT LIGHTS
13w	(781)	245	MINI TEN 1kW		CONSOLE WORKS
14	(94)	254	ETC S4 19° 575w	R56	THOUGHT LIGHTS
15	(95)	255	ETC S4 19° 575w	R56	THOUGHT LIGHTS
16	(96)	256	ETC S4 19° 575w	R56	THOUGHT LIGHTS
17	(97)	257	ETC S4 19° 575w	R56	THOUGHT LIGHTS

#4 ELECTRIC

U#	Ch	Dim	DMX	Type & Accsry & Watts	Color	Purpose
1	(61)	258		ETC S4 19° 575w	L202	LINE BACKS
2	(62)	259		ETC S4 19° 575w	L202	LINE BACKS
3	(63)	260		ETC S4 19° 575w	L202	LINE BACKS
4	(64)	261		ETC S4 19° 575w	L202	LINE BACKS
5	(65)	262		ETC S4 19° 575w	L202	LINE BACKS
6	(66)	263		ETC S4 19° 575w	L202	LINE BACKS
7	(67)	264		ETC S4 19° 575w	L202	LINE BACKS
8	(68)	265		ETC S4 19° 575w	L202	LINE BACKS
9	(69)	266		ETC S4 19° 575w	L202	LINE BACKS
10	(70)	267		ETC S4 19° 575w	L202	LINE BACKS
11	(71)	268		ETC S4 19° 575w	L202	LINE BACKS
12	(72)	269		ETC S4 19° 575w	L202	LINE BACKS
13	(73)	270		ETC S4 19° 575w	L202	LINE BACKS
14	(74)	271		ETC S4 19° 575w	L202	LINE BACKS
15	(75)	272		ETC S4 19° 575w	L202	LINE BACKS
16	(76)	273		ETC S4 19° 575w	L202	LINE BACKS
17	(77)	274		ETC S4 19° 575w	L202	LINE BACKS

#5 ELECTRIC LEFT

U#	Ch	Dim	DMX	Type & Accsry & Watts	Color	Purpose
1	(405)	312		ETC S4 26° 575w	SCROLL	ENDS C/C IN-1 <
1.1	(425)		576	4.5 COLORAM II 100w	NOTE 1	SCROLLER
2	(406)	313		ETC S4 26° 575w	SCROLL	ENDS C/C IN-1 <
2.1	(426)		577	4.5 COLORAM II 100w	NOTE 1	SCROLLER

#5 ELECTRIC CTR

U#	Ch	Dim	DMX	Type & Accsry & Watts	Color	Purpose
1	(407)	314		ETC S4 26° 575w	SCROLL	ENDS C/C IN-1 <
1.1	(427)		578	4.5 COLORAM II 100w	NOTE 1	SCROLLER
2	(408)	315		ETC S4 26° 575w	SCROLL	ENDS C/C IN-1 <
2.1	(428)		579	4.5 COLORAM II 100w	NOTE 1	SCROLLER
3.0	(F15)	M7	648	VL1000 Pwr 100w		FIXTURE POWER
3.1	(F15)	6	6	VL1000 1kW		FIXTURE LAMP
4.0	(F14)	M8	675	VL1000 Pwr 100w		FIXTURE POWER
4.1	(F14)	7	7	VL1000 1kW		FIXTURE LAMP
5	(391)	317		ETC S4 PAR MFLw/Par Half Hat 575w	NC	PAR BACKS
6	(392)	319		ETC S4 PAR MFLw/Par Half Hat 575w	NC	PAR BACKS
7.0	(F13)	M9	702	VL1000 Pwr 100w		FIXTURE POWER
7.1	(F13)	8	8	VL1000 1kW		FIXTURE LAMP
8	(392)	319		ETC S4 PAR MFLw/Par Half Hat 575w	NC	PAR BACKS
9	(393)	320		ETC S4 PAR MFLw/Par Half Hat 575w	NC	PAR BACKS
10.0	(F12)	M10	729	VL1000 Pwr 100w		FIXTURE POWER
10.1	(F12)	9	9	VL1000 1kW		FIXTURE LAMP
11.0	(F11)	M11	756	VL1000 Pwr 100w		FIXTURE POWER
11.1	(F11)	10	10	VL1000 1kW		FIXTURE LAMP
12	(445)	321		ETC S4 26° 575w	SCROLL	ENDS C/C IN-1 >
12.1	(465)		581	4.5 COLORAM II 100w	NOTE 1	SCROLLER
13	(446)	322		ETC S4 26° 575w	SCROLL	ENDS C/C IN-1 >
13.1	(466)		580	4.5 COLORAM II 100w	NOTE 1	SCROLLER

#5 ELECTRIC RIGHT

U#	Ch	Dim	DMX	Type & Accsry & Watts	Color	Purpose
1	(447)	323		ETC S4 26° 575w	SCROLL	ENDS C/C IN-1 >
1.1	(467)		582	4.5 COLORAM II 100w	NOTE 1	SCROLLER
2	(448)	324		ETC S4 26° 575w	SCROLL	ENDS C/C IN-1 >
2.1	(468)		583	4.5 COLORAM II 100w	NOTE 1	SCROLLER

#6 ELECTRIC LEFT

U#	Ch	Dim	DMX	Type & Accsry & Watts	Color	Purpose
1	(296)	307		ETC S4 26° W/ New Lensw/Half Hat 750w	DEVON 146	BX APRON
2	(246)	325		ETC S4 26°w/Half Hat 575w	SCROLL+R132	BX C/C APRON
2.1	(266)		584	4.5 COLORAM II 100w	NOTE 1	SCROLLER
3	(281)	326		ETC S4 26° W/ New Lensw/Half Hat 750w	DEVON 146	BX IN-1

#6 ELECTRIC CTR

U#	Ch	Dim	DMX	Type & Accsry & Watts	Color	Purpose
1	(297)	308		ETC S4 26° W/ New Lensw/Half Hat 750w	DEVON 146	BX APRON
2	(247)	327		ETC S4 26°w/Half Hat 575w	SCROLL+R132	BX C/C IN-1
2.1	(267)		585	4.5 COLORAM II 100w	NOTE 1	SCROLLER
3	(282)	328		ETC S4 26° W/ New Lensw/Half Hat 750w	DEVON 146	BX IN-1
3w	(781)	329		MINI TEN 1kW		CONSOLE WORKS
3x	(Sm)			MINI TEN 300w		SM WORKS
4	(298)	303		ETC S4 26° W/ New Lensw/Half Hat 750w	DEVON 146	BX APRON
5	(248)	330		ETC S4 26°w/Half Hat 575w	SCROLL+R132	BX C/C IN-1
5.1	(268)		586	4.5 COLORAM II 100w	NOTE 1	SCROLLER
6	(283)	331		ETC S4 26° W/ New Lensw/Half Hat 750w	DEVON 146	BX IN-1
6w	(Sm)			MINI TEN 300w		SM WORKS
6x	(781)	329		MINI TEN 1kW		CONSOLE WORKS
7	(299)	301		ETC S4 26° W/ New Lensw/Half Hat 750w	DEVON 146	BX APRON
8	(249)	332		ETC S4 26°w/Half Hat 575w	SCROLL+R132	BX C/C IN-1
8.1	(269)		587	4.5 COLORAM II 100w	NOTE 1	SCROLLER
9	(284)	333		ETC S4 26° W/ New Lensw/Half Hat 750w	DEVON 146	BX IN-1

#6 ELECTRIC RIGHT

U#	Ch	Dim	DMX	Type & Accsry & Watts	Color	Purpose
1	(250)	334		ETC S4 26°w/Half Hat 575w	SCROLL+R132	BX C/C IN-1
1.1	(270)		588	4.5 COLORAM II 100w	NOTE 1	SCROLLER
2	(285)	335		ETC S4 26° W/ New Lensw/Half Hat 750w	DEVON 146	BX IN-1
3	(300)	304		ETC S4 26° W/ New Lensw/Half Hat 750w	DEVON 146	BX APRON

#7 ELECTRIC LEFT

U#	Ch	Dim	DMX	Type & Accsry & Watts	Color	Purpose
1.0	(F25)	N1	783	VL1000 Pwr 100w		FIXTURE POWER
1.1	(F25)	11	11	VL1000 1kW		FIXTURE LAMP

#7 ELECTRIC CTR

U#	Ch	Dim	DMX	Type & Accsry & Watts	Color	Purpose
1	(31)	407		ETC S4 26°w/Iris 575w	R56+R132	DOWN LIGHT IN-2
2	(381)	408		ETC S4 26°w/Iris, Top Hat 575w	L202	DOWN LIGHT IN-2
3.0	(F24)	M13	810	VL1000 Pwr 100w		FIXTURE POWER
3.1	(F24)	12	12	VL1000 1kW		FIXTURE LAMP
4	(32)	409		ETC S4 26°w/Iris 575w	R56+R132	DOWN LIGHT IN-2
5	(382)	410		ETC S4 26°w/Iris, Top Hat 575w	L202	DOWN LIGHT IN-2
6	(394)	411		ETC S4 PAR MFLw/Par Half Hat 575w	NC	PAR BACKS
7.0	(F23)	M14	837	VL1000 Pwr 100w		FIXTURE POWER
7.1	(F23)	13	13	VL1000 1kW		FIXTURE LAMP
8	(395)	412		ETC S4 PAR MFLw/Par Half Hat 575w	NC	PAR BACKS
9	(33)	413		ETC S4 26°w/Iris 575w	R56+R132	DOWN LIGHT IN-2
10	(383)	414		ETC S4 26°w/Iris, Top Hat 575w	L202	DOWN LIGHT IN-2
11.0	(F22)	M15	864	VL1000 Pwr 100w		FIXTURE POWER
11.1	(F22)	14	14	VL1000 1kW		FIXTURE LAMP
12	(34)	415		ETC S4 26°w/Iris 575w	R56+R132	DOWN LIGHT IN-2
13	(384)	416		ETC S4 26°w/Iris, Top Hat 575w	L202	DOWN LIGHT IN-2

#7 ELECTRIC RIGHT

U#	Ch	Dim	DMX	Type & Accsry & Watts	Color	Purpose
1.0	(F21)	N2	891	VL1000 Pwr 100w		FIXTURE POWER
1.1	(F21)	15	15	VL1000 1kW		FIXTURE LAMP

#8 ELECTRIC LEFT

U#	Ch	Dim	DMX	Type & Accsry & Watts	Color	Purpose
1	(409)	417		ETC S4 26° 575w	SCROLL	ENDS C/C IN-2 <
1.1	(429)		601	4.5 COLORAM II 100w	NOTE 1	SCROLLER
2	(410)	418		ETC S4 26° 575w	SCROLL	ENDS C/C IN-2 <
2.1	(430)		602	4.5 COLORAM II 100w	NOTE 1	SCROLLER
3	(411)	419		ETC S4 26° 575w	SCROLL	ENDS C/C IN-2 <
3.1	(431)		603	4.5 COLORAM II 100w	NOTE 1	SCROLLER
4	(412)	420		ETC S4 26° 575w	SCROLL	ENDS C/C IN-2 <
4.1	(432)		604	4.5 COLORAM II 100w	NOTE 1	SCROLLER
5.0	(F35)	N3	1025	VL1000 Pwr 100w		FIXTURE POWER
5.1	(F35)	16	16	VL1000 1kW		FIXTURE LAMP

#8 ELECTRIC CENTER

U#	Ch	Dim	DMX	Type & Accsry & Watts	Color	Purpose
1.0	(F34)	M16	1052	VL1000 Pwr 100w		FIXTURE POWER
1.1	(F34)	17	17	VL1000 1kW		FIXTURE LAMP
2.0	(F33)	M17	1079	VL1000 Pwr 100w		FIXTURE POWER
2.1	(F33)	18	18	VL1000 1kW		FIXTURE LAMP
3.0	(F32)	M18	1106	VL1000 Pwr 100w		FIXTURE POWER
3.1	(F32)	19	19	VL1000 1kW		FIXTURE LAMP

#8 ELECTRIC RIGHT

U#	Ch	Dim	DMX	Type & Accsry & Watts	Color	Purpose
1.0	(F31)	N4	1133	VL1000 Pwr 100w		FIXTURE POWER
1.1	(F31)	20	20	VL1000 1kW		FIXTURE LAMP
2	(449)	422		ETC S4 26° 575w	SCROLL	ENDS C/C IN-2 >
2.1	(469)		605	4.5 COLORAM II 100w	NOTE 1	SCROLLER
3	(450)	423		ETC S4 26° 575w	SCROLL	ENDS C/C IN-2 >
3.1	(470)		606	4.5 COLORAM II 100w	NOTE 1	SCROLLER
4	(451)	424		ETC S4 26° 575w	SCROLL	ENDS C/C IN-2 >
4.1	(471)		607	4.5 COLORAM II 100w	NOTE 1	SCROLLER
5	(452)	425		ETC S4 26° 575w	SCROLL	ENDS C/C IN-2 >
5.1	(472)		608	4.5 COLORAM II 100w	NOTE 1	SCROLLER

#9 ELECTRIC LEFT

U#	Ch	Dim	DMX	Type & Accsry & Watts	Color	Purpose
1	(251)	426		ETC S4 26°w/Half Hat 575w	SCROLL+R132	BX C/C IN-2
1.1	(271)		609	4.5 COLORAM II 100w	NOTE 1	SCROLLER
2	(286)	427		ETC S4 26° W/ New Lensw/Half Hat 750w	DEVON 146	BX IN-2
2w	(Sm)			MINI TEN 300w		SM WORKS
3	(252)	428		ETC S4 26°w/Half Hat 575w	SCROLL+R132	BX C/C IN-2
3.1	(272)		610	4.5 COLORAM II 100w	NOTE 1	SCROLLER
4	(287)	429		ETC S4 26° W/ New Lensw/Half Hat 750w	DEVON 146	BX IN-2

#9 ELECTRIC CTR

U#	Ch	Dim	DMX	Type & Accsry & Watts	Color	Purpose
0w	(781)	430		MINI TEN 1kW		CONSOLE WORKS
1	(253)	431		ETC S4 26°w/Half Hat 575w	SCROLL+R132	BX C/C IN-2
1.1	(273)		611	4.5 COLORAM II 100w	NOTE 1	SCROLLER
2	(288)	432		ETC S4 26° W/ New Lensw/Half Hat 750w	DEVON 146	BX IN-2
2w	(781)	430		MINI TEN 1kW		CONSOLE WORKS

#9 ELECTRIC RIGHT

U#	Ch	Dim	DMX	Type & Accsry & Watts	Color	Purpose
1	(254)	433		ETC S4 26°w/Half Hat 575w	SCROLL+R132	BX C/C IN-2
1.1	(274)		612	4.5 COLORAM II 100w	NOTE 1	SCROLLER
2	(289)	434		ETC S4 26° W/ New Lensw/Half Hat 750w	DEVON 146	BX IN-2
2w	(Sm)			MINI TEN 300w		SM WORKS
3	(255)	435		ETC S4 26°w/Half Hat 575w	SCROLL+R132	BX C/C IN-2
3.1	(275)		613	4.5 COLORAM II 100w	NOTE 1	SCROLLER
4	(290)	436		ETC S4 26° W/ New Lensw/Half Hat 750w	DEVON 146	BX IN-2

#10 ELECTIC

U#	Ch	Dim	DMX	Type & Accsry & Watts	Color	Purpose
1	(413)	275		ETC S4 26°w/Top Hat 575w	SCROLL	ENDS C/C IN-3 <
1.1	(433)		626	4.5 COLORAM II 100w	NOTE 1	SCROLLER
2	(414)	276		ETC S4 26°w/Top Hat 575w	SCROLL	ENDS C/C IN-3 <
2.1	(434)		627	4.5 COLORAM II 100w	NOTE 1	SCROLLER
3	(415)	277		ETC S4 26°w/Top Hat 575w	SCROLL	ENDS C/C IN-3 <
3.1	(435)		628	4.5 COLORAM II 100w	NOTE 1	SCROLLER
4	(416)	278		ETC S4 26° 575w	SCROLL	ENDS C/C IN-3 <
4.1	(436)		629	4.5 COLORAM II 100w	NOTE 1	SCROLLER
5	(621)	279		ETC S4 50° 575w	SCROLL+R104	PERIAKTOI C/C
5.1	(641)		630	7.5 COLORAM II 100w	NOTE 1	SCROLLER
6.0	(F45)	M19	1160	VL1000 Pwr 100w		FIXTURE POWER
6.1	(F45)	21	21	VL1000 1kW		FIXTURE LAMP
7	(622)	280		ETC S4 50° 575w	SCROLL+R104	PERIAKTOI C/C
7.1	(642)		631	7.5 COLORAM II 100w	NOTE 1	SCROLLER
8	(385)	281		ETC S4 26°w/Iris, Top Hat 575w	L202	DOWN LIGHT IN-3
9	(35)	282		ETC S4 26°w/Iris 575w	R56+R132	DOWN LIGHT IN-3
10	(386)	283		ETC S4 26°w/Iris, Top Hat 575w	L202	DOWN LIGHT IN-3
11	(623)	284		ETC S4 50° 575w	SCROLL+R104	PERIAKTOI C/C
11.1	(643)		632	7.5 COLORAM II 100w	NOTE 1	SCROLLER
12	(36)	285		ETC S4 26°w/Iris 575w	R56+R132	DOWN LIGHT IN-3
13.0	(F43)	M20	1187	VL1000 Pwr 100w		FIXTURE POWER
13.1	(F43)	22	22	VL1000 1kW		FIXTURE LAMP
14	(37)	286		ETC S4 26°w/Iris 575w	R56+R132	DOWN LIGHT IN-3
15	(623)	284		ETC S4 50° 575w	SCROLL+R104	PERIAKTOI C/C
15.1	(643)		633	7.5 COLORAM II 100w	NOTE 1	SCROLLER
16	(387)	287		ETC S4 26°w/Iris, Top Hat 575w	L202	DOWN LIGHT IN-3
17	(38)	288		ETC S4 26°w/Iris 575w	R56+R132	DOWN LIGHT IN-3
18	(388)	289		ETC S4 26°w/Iris, Top Hat 575w	L202	DOWN LIGHT IN-3
19	(624)	290		ETC S4 50° 575w	SCROLL+R104	PERIAKTOI C/C
19.1	(644)		634	7.5 COLORAM II 100w	NOTE 1	SCROLLER
20.0	(F41)	M21	1214	VL1000 Pwr 100w		FIXTURE POWER
20.1	(F41)	23	23	VL1000 1kW		FIXTURE LAMP

#10 ELECTIC

U#	Ch	Dim	DMX	Type & Accsry & Watts	Color	Purpose
21	(625)	291		ETC S4 50° 575w	SCROLL+R104	PERIAKTOI C/C
21.1	(645)		635	7.5 COLORAM II 100w	NOTE 1	SCROLLER
22	(453)	292		ETC S4 26° 575w	SCROLL	ENDS C/C IN-3 >
22.1	(473)		636	4.5 COLORAM II 100w	NOTE 1	SCROLLER
23	(454)	293		ETC S4 26°w/Top Hat 575w	SCROLL	ENDS C/C IN-3 >
23.1	(474)		637	4.5 COLORAM II 100w	NOTE 1	SCROLLER
24	(455)	294		ETC S4 26°w/Top Hat 575w	SCROLL	ENDS C/C IN-3 >
24.1	(475)		638	4.5 COLORAM II 100w	NOTE 1	SCROLLER
25	(456)	295		ETC S4 26°w/Top Hat 575w	SCROLL	ENDS C/C IN-3 >
25.1	(476)		639	4.5 COLORAM II 100w	NOTE 1	SCROLLER

#11 ELECTRIC

U#	Ch	Dim	DMX	Type & Accsry & Watts	Color	Purpose
1	(256)	43		ETC S4 26°w/Half Hat 575w	SCROLL+R132	BX C/C IN-3
1.1	(276)		640	4.5 COLORAM II 100w	NOTE 1	SCROLLER
2	(291)	42		ETC S4 26° W/ New Lensw/Half Hat 750w	DEVON 146	BX IN-3
3	(257)	41		ETC S4 26°w/Half Hat 575w	SCROLL+R132	BX C/C IN-3
3.1	(277)		641	4.5 COLORAM II 100w	NOTE 1	SCROLLER
4	(292)	40		ETC S4 26° W/ New Lensw/Half Hat 750w	DEVON 146	BX IN-3
5	(258)	39		ETC S4 26°w/Half Hat 575w	SCROLL+R132	BX C/C IN-3
5.1	(278)		642	4.5 COLORAM II 100w	NOTE 1	SCROLLER
6	(293)	44		ETC S4 26° W/ New Lensw/Half Hat 750w	DEVON 146	BX IN-3
7	(259)	45		ETC S4 26°w/Half Hat 575w	SCROLL+R132	BX C/C IN-3
7.1	(279)		643	4.5 COLORAM II 100w	NOTE 1	SCROLLER
8	(294)	46		ETC S4 26° W/ New Lensw/Half Hat 750w	DEVON 146	BX IN-3
9	(260)	47		ETC S4 26°w/Half Hat 575w	SCROLL+R132	BX C/C IN-3
9.1	(280)		644	4.5 COLORAM II 100w	NOTE 1	SCROLLER
10	(295)	48		ETC S4 26° W/ New Lensw/Half Hat 750w	DEVON 146	BX IN-3

PROSC TORM LEFT

U#	Ch	Dim	DMX	Type & Accsry & Watts	Color	Purpose
1	(104)	182		ETC S4 19° 575w	SCROLL+R132	X/LT C/C APRON <
1.1	(124)		510	4.5 COLORAM Ilw/Top Hat 100w	NOTE 1	SCROLLER
1a	(204)	183		ETC S4 19°w/Top Hat 575w	L202+R132	X/LT APRON <
2	(103)	184		ETC S4 26° 575w	SCROLL+R132	X/LT C/C APRON <
2.1	(123)		511	4.5 COLORAM Ilw/Top Hat 100w	NOTE 1	SCROLLER
2a	(203)	185		ETC S4 26°w/Top Hat 575w	L202+R132	X/LT APRON <
3	(102)	186		ETC S4 26° 575w	SCROLL+R132	X/LT C/C APRON <
3.1	(122)		512	4.5 COLORAM Ilw/Top Hat 100w	NOTE 1	SCROLLER
3a	(202)	187		ETC S4 26°w/Top Hat 575w	L202+R132	X/LT APRON <
4	(182)	191		ETC S4 26°w/Top Hat 575w	L195HT	BLUE X/LT APRON <
4a	(101)	188		ETC S4 36° 575w	SCROLL+R132	X/LT C/C APRON <
4b	(121)		513	4.5 COLORAM Ilw/Top Hat 100w	NOTE 1	SCROLLER
5	(201)	192		ETC S4 36°w/Top Hat 575w	L202+R132	X/LT APRON <
6	(304)	189		ETC S4 19° 575w	SCROLL+R132	LO C/C X/LT APRON <
6.1	(324)		514	4.5 COLORAM Ilw/Top Hat 100w	NOTE 1	SCROLLER
6a	(181)	190		ETC S4 26°w/Top Hat 575w	L195HT	BLUE X/LT APRON <
7	(303)	193		ETC S4 26° 575w	SCROLL+R132	LO C/C X/LT APRON <
7.1	(323)		515	4.5 COLORAM Ilw/Top Hat 100w	NOTE 1	SCROLLER
8	(302)	194		ETC S4 26° 575w	SCROLL+R132	LO C/C X/LT APRON <
8.1	(322)		516	4.5 COLORAM Ilw/Top Hat 100w	NOTE 1	SCROLLER
9	(301)	195		ETC S4 36° 575w	SCROLL+R132	LO C/C X/LT APRON <
9.1	(321)		517	4.5 COLORAM Ilw/Top Hat 100w	NOTE 1	SCROLLER

#1 TORM LEFT

U#	Ch	Dim	DMX	Type & Accsry & Watts	Color	Purpose
1.0	(F61)	M25	1537	VL1000 Pwr 100w		FIXTURE POWER
1.1	(F61)	24	24	VL1000 1kW		FIXTURE LAMP
2	(108)	336		ETC S4 19° 575w	SCROLL+R132	X/LT C/C IN-I <
2.1	(128)		651	4.5 COLORAM II 100w	NOTE 1	SCROLLER
3	(208)	337		ETC S4 19° 575w	L202+R132	X/LT IN-1 <
4	(107)	338		ETC S4 26° 575w	SCROLL+R132	X/LT C/C IN-I <
4.1	(127)		652	4.5 COLORAM II 100w	NOTE 1	SCROLLER
5	(207)	339		ETC S4 26° 575w	L202+R132	X/LT IN-1 <
6	(106)	340		ETC S4 26° 575w	SCROLL+R132	X/LT C/C IN-I <
6.1	(126)		653	4.5 COLORAM II 100w	NOTE 1	SCROLLER
7	(206)	341		ETC S4 26° 575w	L202+R132	X/LT IN-1 <
8	(105)	342		ETC S4 36° 575w	SCROLL+R132	X/LT C/C IN-I <
8.1	(125)		654	4.5 COLORAM II 100w	NOTE 1	SCROLLER
9	(205)	343		ETC S4 36° 575w	L202+R132	X/LT IN-1 <
10	(184)	344		ETC S4 26° 575w	L195HT	BLUE X/LT IN-1 <
11	(183)	345		ETC S4 26° 575w	L195HT	BLUE X/LT IN-1 <
12	(308)	346		ETC S4 19° 575w	SCROLL+R132	LO C/C X/LT IN-1 <
12.1	(328)		655	4.5 COLORAM II 100w	NOTE 1	SCROLLER
13	(307)	347		ETC S4 26° 575w	SCROLL+R132	LO C/C X/LT IN-1 <
13.1	(327)		656	4.5 COLORAM II 100w	NOTE 1	SCROLLER
14	(306)	348		ETC S4 26° 575w	SCROLL+R132	LO C/C X/LT IN-1 <
14.1	(326)		657	4.5 COLORAM II 100w	NOTE 1	SCROLLER
15	(305)	349		ETC S4 36° 575w	SCROLL+R132	LO C/C X/LT IN-1 <
15.1	(325)		658	4.5 COLORAM II 100w	NOTE 1	SCROLLER
16.0	(F81)	M26	1564	VL1000 Pwr 100w		FIXTURE POWER
16.1	(F81)	25	25	VL1000 1kW		FIXTURE LAMP
16a	(784)	305		Livewire		
17	(572)	350		ETC S4 36° 575w	SCROLL	SHIN C/C IN-1<
17.1	(592)		659	4.5 COLORAM II 100w	NOTE 1	SCROLLER

#2 TORM LEFT

U#	Ch	Dim	DMX	Type & Accsry & Watts	Color	Purpose
1.0	(F62)	M27	1591	VL1000 Pwr 100w		FIXTURE POWER
1.1	(F62)	28	28	VL1000 1kW		FIXTURE LAMP
2	(112)	351		ETC S4 19° 575w	SCROLL+R132	X/LT C/C IN-2 <
2.1	(132)		663	4.5 COLORAM II 100w	NOTE 1	SCROLLER
3	(212)	352		ETC S4 19° 575w	L202+R132	X/LT IN-2 <
4	(111)	353		ETC S4 26° 575w	SCROLL+R132	X/LT C/C IN-2 <
4.1	(131)		664	4.5 COLORAM II 100w	NOTE 1	SCROLLER
5	(211)	354		ETC S4 26° 575w	L202+R132	X/LT IN-2 <
6	(110)	355		ETC S4 26° 575w	SCROLL+R132	X/LT C/C IN-2 <
6.1	(130)		665	4.5 COLORAM II 100w	NOTE 1	SCROLLER
7	(210)	356		ETC S4 26° 575w	L202+R132	X/LT IN-2 <
8	(109)	357		ETC S4 36° 575w	SCROLL+R132	X/LT C/C IN-2 <
8.1	(129)		666	4.5 COLORAM II 100w	NOTE 1	SCROLLER
9	(209)	358		ETC S4 36° 575w	L202+R132	X/LT IN-2 <
10	(186)	359		ETC S4 26° 575w	L195HT	BLUE X/LT IN-2 <
11	(185)	360		ETC S4 26° 575w	L195HT	BLUE X/LT IN-2 <
12	(312)	361		ETC S4 19° 575w	SCROLL+R132	LO C/C X/LT IN-2 <
12.1	(332)		667	4.5 COLORAM II 100w	NOTE 1	SCROLLER
13	(311)	362		ETC S4 26° 575w	SCROLL+R132	LO C/C X/LT IN-2 <
13.1	(331)		668	4.5 COLORAM II 100w	NOTE 1	SCROLLER
14	(310)	363		ETC S4 26° 575w	SCROLL+R132	LO C/C X/LT IN-2 <
14.1	(330)		669	4.5 COLORAM II 100w	NOTE 1	SCROLLER
15	(309)	364		ETC S4 36° 575w	SCROLL+R132	LO C/C X/LT IN-2 <
15.1	(329)		670	4.5 COLORAM II 100w	NOTE 1	SCROLLER
16.0	(F82)	M28	1618	VL1000 Pwr 100w		FIXTURE POWER
16.1	(F82)	29	29	VL1000 1kW		FIXTURE LAMP
16a	(580)	311		ETC S4 36° 575w	L332	BALLET BAR
16b	(784)	305		Livewire		
17	(573)	365		ETC S4 36° 575w	SCROLL	SHIN C/C IN-2 <
17.1	(593)		671	4.5 COLORAM II 100w	NOTE 1	SCROLLER

#3 TORM LEFT

U#	Ch	Dim	DMX	Type & Accsry & Watts	Color	Purpose
1.0	(F63)	M29	1645	VL1000 Pwr 100w		FIXTURE POWER
1.1	(F63)	32	32	VL1000 1kW		FIXTURE LAMP
2	(116)	437		ETC S4 19° 575w	SCROLL	X/LT C/C IN-3 <
2.1	(136)		701	4.5 COLORAM II 100w	NOTE 1	SCROLLER
3	(216)	438		ETC S4 19° 575w	L202	X/LT IN-3 <
4	(115)	439		ETC S4 26° 575w	SCROLL	X/LT C/C IN-3 <
4.1	(135)		702	4.5 COLORAM II 100w	NOTE 1	SCROLLER
5	(215)	440		ETC S4 26° 575w	L202	X/LT IN-3 <
6	(114)	441		ETC S4 26° 575w	SCROLL	X/LT C/C IN-3 <
6.1	(134)		703	4.5 COLORAM II 100w	NOTE 1	SCROLLER
7	(214)	442		ETC S4 26° 575w	L202	X/LT IN-3 <
8	(113)	443		ETC S4 36° 575w	SCROLL	X/LT C/C IN-3 <
8.1	(133)		704	4.5 COLORAM II 100w	NOTE 1	SCROLLER
9	(213)	444		ETC S4 36° 575w	L202	X/LT IN-3 <
10	(188)	445		ETC S4 26° 575w	L195HT	BLUE X/LT IN-3 <
11	(187)	446		ETC S4 26° 575w	L195HT	BLUE X/LT IN-3 <
12	(316)	447		ETC S4 19° 575w	SCROLL	LO C/C X/LT IN-3 <
12.1	(336)		705	4.5 COLORAM II 100w	NOTE 1	SCROLLER
13	(315)	448		ETC S4 26° 575w	SCROLL	LO C/C X/LT IN-3 <
13.1	(335)		706	4.5 COLORAM II 100w	NOTE 1	SCROLLER
14	(314)	449		ETC S4 26° 575w	SCROLL	LO C/C X/LT IN-3 <
14.1	(334)		707	4.5 COLORAM II 100w	NOTE 1	SCROLLER
15	(313)	450		ETC S4 36° 575w	SCROLL	LO C/C X/LT IN-3 <
15.1	(333)		708	4.5 COLORAM II 100w	NOTE 1	SCROLLER
16.0	(F83)	M30	1672	VL1000 Pwr 100w		FIXTURE POWER
16.1	(F83)	33	33	VL1000 1kW		FIXTURE LAMP
16a	(784)	305		Livewire		
17	(574)	451		ETC S4 36° 575w	SCROLL	SHIN C/C IN-3 <
17.1	(594)		709	4.5 COLORAM II 100w	NOTE 1	SCROLLER
17h		4.8				HOT POWER

PROSC TORM RIGHT

U#	Ch	Dim	DMX	Type & Accsry & Watts	Color	Purpose
1	(141)	452		ETC S4 19° 575w	SCROLL+R132	X/LT C/C APRON >
1.1	(161)		530	4.5 COLORAM Ilw/Top Hat 100w	NOTE 1	SCROLLER
1a	(221)	453		ETC S4 19°w/Top Hat 575w	R132	X/LT APRON >
2	(142)	454		ETC S4 26° 575w	SCROLL+R132	X/LT C/C APRON >
2.1	(162)		531	4.5 COLORAM Ilw/Top Hat 100w	NOTE 1	SCROLLER
2a	(222)	455		ETC S4 26°w/Top Hat 575w	R132	X/LT APRON >
3	(143)	456		ETC S4 26° 575w	SCROLL+R132	X/LT C/C APRON >
3.1	(163)		532	4.5 COLORAM Ilw/Top Hat 100w	NOTE 1	SCROLLER
3a	(223)	457		ETC S4 26°w/Top Hat 575w	R132	X/LT APRON >
4	(191)	463		ETC S4 26°w/Top Hat 575w	L195HT	BLUE X/LT APRON >
4a	(144)	460		ETC S4 36° 575w	SCROLL+R132	X/LT C/C APRON >
4b	(164)		533	4.5 COLORAM Ilw/Top Hat 100w	NOTE 1	SCROLLER
5	(224)	458		ETC S4 36°w/Top Hat 575w	R132	X/LT APRON >
6	(341)	461		ETC S4 19° 575w	SCROLL+R132	LO C/C X/LT APRON >
6.1	(361)		534	4.5 COLORAM Ilw/Top Hat 100w	NOTE 1	SCROLLER
6a	(192)	462		ETC S4 26°w/Top Hat 575w	L195HT	BLUE X/LT APRON >
7	(342)	459		ETC S4 26° 575w	SCROLL+R132	LO C/C X/LT APRON >
7.1	(362)		535	4.5 COLORAM Ilw/Top Hat 100w	NOTE 1	SCROLLER
8	(343)	464		ETC S4 26° 575w	SCROLL+R132	LO C/C X/LT APRON >
8.1	(363)		536	4.5 COLORAM Ilw/Top Hat 100w	NOTE 1	SCROLLER
9	(344)	465		ETC S4 36° 575w	SCROLL+R132	LO C/C X/LT APRON >
9.1	(364)		537	4.5 COLORAM Ilw/Top Hat 100w	NOTE 1	SCROLLER

#1 TORM RIGHT

U#	Ch	Dim	DMX	Type & Accsry & Watts	Color	Purpose
1.0	(F51)	M31	2049	VL1000 Pwr 100w		FIXTURE POWER
1.1	(F51)	26	26	VL1000 1kW		FIXTURE LAMP
2	(145)	366		ETC S4 19° 575w	SCROLL+R132	X/LT C/C IN-I >
2.1	(165)		676	4.5 COLORAM II 100w	NOTE 1	SCROLLER
3	(225)	367		ETC S4 19° 575w	R132	X/LT IN-1 >
4	(146)	368		ETC S4 26° 575w	SCROLL+R132	X/LT C/C IN-I >
4.1	(166)		677	4.5 COLORAM II 100w	NOTE 1	SCROLLER
5	(226)	369		ETC S4 26° 575w	R132	X/LT IN-1 >
6	(147)	370		ETC S4 26° 575w	SCROLL+R132	X/LT C/C IN-I >
6.1	(167)		678	4.5 COLORAM II 100w	NOTE 1	SCROLLER
7	(227)	371		ETC S4 26° 575w	R132	X/LT IN-1 >
8	(148)	372		ETC S4 36° 575w	SCROLL+R132	X/LT C/C IN-I >
8.1	(168)		679	4.5 COLORAM II 100w	NOTE 1	SCROLLER
9	(228)	373		ETC S4 36° 575w	R132	X/LT IN-1 >
10	(193)	374		ETC S4 26° 575w	L195HT	BLUE X/LT IN-1 >
11	(194)	375		ETC S4 26° 575w	L195HT	BLUE X/LT IN-1 >
12	(345)	376		ETC S4 19° 575w	SCROLL+R132	LO C/C X/LT IN-1 >
12.1	(365)		680	4.5 COLORAM II 100w	NOTE 1	SCROLLER
13	(346)	377		ETC S4 26° 575w	SCROLL+R132	LO C/C X/LT IN-1 >
13.1	(366)		681	4.5 COLORAM II 100w	NOTE 1	SCROLLER
14	(347)	378		ETC S4 26° 575w	SCROLL+R132	LO C/C X/LT IN-1 >
14.1	(367)		682	4.5 COLORAM II 100w	NOTE 1	SCROLLER
15	(348)	379		ETC S4 36° 575w	SCROLL+R132	LO C/C X/LT IN-1 >
15.1	(368)		683	4.5 COLORAM II 100w	NOTE 1	SCROLLER
16.0	(F71)	M32	2076	VL1000 Pwr 100w		FIXTURE POWER
16.1	(F71)	27	27	VL1000 1kW		FIXTURE LAMP
16a	(784)	305		Livewire		
17	(576)	380		ETC S4 36° 575w	SCROLL	SHIN C/C IN-1>
17.1	(596)		684	4.5 COLORAM II 100w	NOTE 1	SCROLLER

#2 TORM RIGHT

U#	Ch	Dim	DMX	Type & Accsry & Watts	Color	Purpose
1.0	(F52)	M33	2103	VL1000 Pwr 100w		FIXTURE POWER
1.1	(F52)	30	30	VL1000 1kW		FIXTURE LAMP
2	(149)	381		ETC S4 19° 575w	SCROLL+R132	X/LT C/C IN-2 >
2.1	(169)		688	4.5 COLORAM II 100w	NOTE 1	SCROLLER
4	(150)	383		ETC S4 26° 575w	SCROLL+R132	X/LT C/C IN-2 >
4.1	(170)		689	4.5 COLORAM II 100w	NOTE 1	SCROLLER
5	(230)	384		ETC S4 26° 575w	R132	X/LT IN-2 >
6	(151)	385		ETC S4 26° 575w	SCROLL+R132	X/LT C/C IN-2 >
6.1	(171)		690	4.5 COLORAM II 100w	NOTE 1	SCROLLER
7	(231)	386		ETC S4 26° 575w	R132	X/LT IN-2 >
8	(152)	387		ETC S4 36° 575w	SCROLL+R132	X/LT C/C IN-2 >
8.1	(172)		691	4.5 COLORAM II 100w	NOTE 1	SCROLLER
9	(232)	388		ETC S4 36° 575w	R132	X/LT IN-2 >
10	(196)	389		ETC S4 26° 575w	L195HT	BLUE X/LT IN-2 >
11	(195)	390		ETC S4 26° 575w	L195HT	BLUE X/LT IN-2 >
12	(349)	391		ETC S4 19° 575w	SCROLL+R132	LO C/C X/LT IN-2 >
12.1	(369)		692	4.5 COLORAM II 100w	NOTE 1	SCROLLER
13	(350)	392		ETC S4 26° 575w	SCROLL+R132	LO C/C X/LT IN-2 >
13.1	(370)		693	4.5 COLORAM II 100w	NOTE 1	SCROLLER
14	(351)	393		ETC S4 26° 575w	SCROLL+R132	LO C/C X/LT IN-2 >
14.1	(371)		694	4.5 COLORAM II 100w	NOTE 1	SCROLLER
15	(352)	394		ETC S4 36° 575w	SCROLL+R132	LO C/C X/LT IN-2 >
15.1	(372)		695	4.5 COLORAM II 100w	NOTE 1	SCROLLER
16.0	(F72)	M34	2130	VL1000 Pwr 100w		FIXTURE POWER
16.1	(F72)	31	31	VL1000 1kW		FIXTURE LAMP
16a	(784)	305		Livewire		
17	(579)	395		ETC S4 36° 575w	L332	BALLET BAR
18	(577)	396		ETC S4 36° 575w	SCROLL	SHIN C/C IN-2 >
18.1	(597)		696	4.5 COLORAM II 100w	NOTE 1	SCROLLER
IN	(229)	382		ETC S4 19° 575w	R132	X/LT IN-2 >

#3 TORM RIGHT

U#	Ch	Dim	DMX	Type & Accsry & Watts	Color	Purpose
1.0	(F53)	M35	2157	VL1000 Pwr 100w		FIXTURE POWER
1.1	(F53)	34	34	VL1000 1kW		FIXTURE LAMP
2	(153)	467		ETC S4 19° 575w	SCROLL	X/LT C/C IN-3 >
2.1	(173)		738	4.5 COLORAM II 100w	NOTE 1	SCROLLER
3	(233)	468		ETC S4 19° 575w	NC	X/LT IN-3 >
4	(154)	469		ETC S4 26° 575w	SCROLL	X/LT C/C IN-3 >
4.1	(174)		739	4.5 COLORAM II 100w	NOTE 1	SCROLLER
5	(234)	470		ETC S4 26° 575w	NC	X/LT IN-3 >
6	(155)	471		ETC S4 26° 575w	SCROLL	X/LT C/C IN-3 >
6.1	(175)		740	4.5 COLORAM II 100w	NOTE 1	SCROLLER
7	(235)	472		ETC S4 26° 575w	NC	X/LT IN-3 >
8	(156)	473		ETC S4 36° 575w	SCROLL	X/LT C/C IN-3 >
8.1	(176)		741	4.5 COLORAM II 100w	NOTE 1	SCROLLER
9	(236)	474		ETC S4 36° 575w	NC	X/LT IN-3 >
10	(198)	475		ETC S4 26° 575w	L195HT	BLUE X/LT IN-3 >
11	(197)	476		ETC S4 26° 575w	L195HT	BLUE X/LT IN-3 >
12	(353)	477		ETC S4 19° 575w	SCROLL	LO C/C X/LT IN-3 >
12.1	(373)		742	4.5 COLORAM II 100w	NOTE 1	SCROLLER
13	(354)	478		ETC S4 26° 575w	SCROLL	LO C/C X/LT IN-3 >
13.1	(374)		743	4.5 COLORAM II 100w	NOTE 1	SCROLLER
14	(355)	479		ETC S4 26° 575w	SCROLL	LO C/C X/LT IN-3 >
14.1	(375)		744	4.5 COLORAM II 100w	NOTE 1	SCROLLER
15	(356)	480		ETC S4 36° 575w	SCROLL	LO C/C X/LT IN-3 >
15.1	(376)		745	4.5 COLORAM II 100w	NOTE 1	SCROLLER
16.0	(F73)	M36	2184	VL1000 Pwr 100w		FIXTURE POWER
16.1	(F73)	35	35	VL1000 1kW		FIXTURE LAMP
16a	(784)	305		Livewire		
17	(578)	481		ETC S4 36° 575w	SCROLL	SHIN C/C IN-3 >
17.1	(598)		746	4.5 COLORAM II 100w	NOTE 1	SCROLLER
17h		4.8				HOT POWER

FOOTLIGHT TROUGH

U#	Ch	Dim	DMX	Type & Accsry & Watts	Color	Purpose
1	(616)	N4.8	1101	FLIPPER		FLIPPER
1.1	(617)		1102	FLIPPER		FLIPPER
A1	(601)	482		6' R40 STRIPLIGHT 300W FLD 1.2kW	L141	FOOTS
A2	(606)	483		6' R40 STRIPLIGHT 300W FLD 1.2kW	R56	FOOTS
A3	(611)	484		6' R40 STRIPLIGHT 300W FLD 1.2kW	R25	FOOTS
B1	(602)	485		6' R40 STRIPLIGHT 300W FLD 1.2kW	L141	FOOTS
B2	(607)	486		6' R40 STRIPLIGHT 300W FLD 1.2kW	R56	FOOTS
B3	(612)	487		6' R40 STRIPLIGHT 300W FLD 1.2kW	R25	FOOTS
C1	(603)	488		6' R40 STRIPLIGHT 300W FLD 1.2kW	L141	FOOTS
C2	(608)	489		6' R40 STRIPLIGHT 300W FLD 1.2kW	R56	FOOTS
C3	(613)	490		6' R40 STRIPLIGHT 300W FLD 1.2kW	R25	FOOTS
D1	(604)	491		6' R40 STRIPLIGHT 300W FLD 1.2kW	L141	FOOTS
D2	(609)	492		6' R40 STRIPLIGHT 300W FLD 1.2kW	R56	FOOTS
D3	(614)	493		6' R40 STRIPLIGHT 300W FLD 1.2kW	R25	FOOTS
E1	(605)	494		6' R40 STRIPLIGHT 300W FLD 1.2kW	L141	FOOTS
E2	(610)	495		6' R40 STRIPLIGHT 300W FLD 1.2kW	R56	FOOTS
E3	(615)	496		6' R40 STRIPLIGHT 300W FLD 1.2kW	R25	FOOTS

PERIAKTOI

U#	Ch	Dim	DMX	Type & Accsry & Watts	Color	Purpose
	(740)		1512			FIBER FANS
	(739)		1039	TPR Fiber 100w		FAN SEMI CIRCLE CIR 3
	(738)		1038	TPR Fiber 100w		FAN SEMI CIRCLE CIR 2
	(737)		1037	TPR Fiber 100w		FAN SEMI CIRCLE CIR 1
	(736)		1036	TPR Fiber 100w		FAN 12 CIR 3
	(735)		1035	TPR Fiber 100w		FAN 12 CIR 2
	(734)		1034	TPR Fiber 100w		FAN 12 CIR 1
	(733)		1033	TPR Fiber 100w		FAN 11 CIR 3
	(732)		1032	TPR Fiber 100w		FAN 11 CIR 2
	(731)		1031	TPR Fiber 100w		FAN 11 CIR 1
	(730)		1030	TPR Fiber 100w		FAN 10 CIR 3
	(729)		1029	TPR Fiber 100w		FAN 10 CIR 2
	(728)		1028	TPR Fiber 100w		FAN 10 CIR 1
	(727)		1027	TPR Fiber 100w		FAN 9 CIR 3
	(726)		1026	TPR Fiber 100w		FAN 9 CIR 2
	(725)		1025	TPR Fiber 100w		FAN 9 CIR 1
	(724)		1024	TPR Fiber 100w		FAN 8 CIR 3
	(723)		1023	TPR Fiber 100w		FAN 8 CIR 2
	(722)		1022	TPR Fiber 100w		FAN 8 CIR 1
	(721)		1021	TPR Fiber 100w		FAN 7 CIR 3
	(720)		1020	TPR Fiber 100w		FAN 7 CIR 2
	(719)		1019	TPR Fiber 100w		FAN 7 CIR 1
	(718)		1018	TPR Fiber 100w		FAN 6 CIR 3
	(717)		1017	TPR Fiber 100w		FAN 6 CIR 2
	(716)		1016	TPR Fiber 100w		FAN 6 CIR 1
	(715)		1015	TPR Fiber 100w		FAN 5 CIR 3
	(714)		1014	TPR Fiber 100w		FAN 5 CIR 2
	(713)		1013	TPR Fiber 100w		FAN 5 CIR 1
	(712)		1012	TPR Fiber 100w		FAN 4 CIR 3
	(711)		1011	TPR Fiber 100w		FAN 4 CIR 2

PERIAKTOI

U#	Ch	Dim	DMX	Type & Accsry & Watts	Color	Purpose
	(710)		1010	TPR Fiber 100w		FAN 4 CIR 1
	(709)		1009	TPR Fiber 100w		FAN 3 CIR 3
	(708)		1008	TPR Fiber 100w		FAN 3 CIR 2
	(707)		1007	TPR Fiber 100w		FAN 3 CIR 1
	(706)		1006	TPR Fiber 100w		FAN 2 CIR 3
	(705)		1005	TPR Fiber 100w		FAN 2 CIR 2
	(704)		1004	TPR Fiber 100w		FAN 2 CIR 1
	(703)		1003	TPR Fiber 100w		FAN 1 CIR 3
	(702)		1002	TPR Fiber 100w		FAN 1 CIR 2
	(701)		1001	TPR Fiber 100w		FAN 1 CIR 1

GRID SL

U#	Ch	Dim	DMX	Type & Accsry & Watts	Color	Purpose
1	(757)	60	651	Color RAM P/S PWR 600w		RAM P/S
1.1	(799)		807	Color RAM P/S FAN		SCROLLER FANS TORMS IN 1
2	(759)	61	701	Color RAM P/S PWR 600w		RAM P/S
2.1	(799)		809	Color RAM P/S FAN		SCROLLER FANS TORMS IN 2/3
3		N4.1		Opto Splitter		

GRID CENTER

U#	Ch	Dim	DMX	Type & Accsry & Watts	Color	Purpose
1	(753)	59	551	Color RAM P/S PWR 600w		RAM P/S
1.1	(798)		803	Color RAM P/S FAN		SCROLLER FANS OVERHEAD
2	(754)	58	576	Color RAM P/S PWR 600w		RAM P/S
2.1	(798)		804	Color RAM P/S FAN		SCROLLER FANS OVERHEAD
3	(755)	57	601	Color RAM P/S PWR 600w		RAM P/S
3.1	(798)		805	Color RAM P/S FAN		SCROLLER FANS OVERHEAD
4	(756)	56	626	Color RAM P/S PWR 600w		RAM P/S
4.1	(798)		806	Color RAM P/S FAN		SCROLLER FANS OVERHEAD
5		N3.1		Opto Splitter		
6		N3.1		Opto Splitter		
7.0	(791)	N3.2	1301	MDG ATMOSPHERE		HAZE
7.1	(792)		1302			HAZE CHANNEL
8	(795)	53		BOWEN FAN		BOWEN FAN

GRID SR

U#	Ch	Dim	DMX	Type & Accsry & Watts	Color	Purpose
1	(758)	54	676	Color RAM P/S PWR 600w		RAM P/S
1.1	(799)		808	Color RAM P/S FAN		SCROLLER FANS TORMS IN 2/3
2	(760)	55	726	Color RAM P/S PWR		
2.1	(799)		810	Color RAM P/S FAN		
3		N.1		Opto Splitter		

FOH CEILING SL

U#	Ch	Dim	DMX	Type & Accsry & Watts	Color	Purpose
1	(751)	51	501	Color RAM P/S PWR 600w		RAM P/S
1.1	(797)		801	Color RAM P/S FAN		SCROLLER FANS FOH

FOH CEILING SR

U#	Ch	Dim	DMX	Type & Accsry & Watts	Color	Purpose
2	(752)	52	526	Color RAM P/S PWR 600w		RAM P/S
2.1	(797)		802	Color RAM P/S FAN		SCROLLER FANS FOH

RUNNING LIGHTS SL

U#	Ch	Dim	DMX	Type & Accsry & Watts	Color	Purpose
1		306			L195HT	
2		306			L195HT	

RUNNING LIGHTS SR

U#	Ch	Dim	DMX	Type & Accsry & Watts	Color	Purpose
1		306			L195HT	
2		309			NC	
3		309			NC	
4		306			L195HT	

FOOTNOTES

1. R00,L201,L202,R337,R51,R34,L151,L137,R02,L170,L176,L161,R44,R22,R23,R15,R312,R349,L354,L183,L141,R56,
R25,R68,R79,L026,L332,L116,L195,R358,L119,L181
- 2.